

Upholstery

Providing ultimate comfort and function

Includes:

- 75 Vinyl Colors
- 19 Polyester Fabric Colors

THE BLICKMAN DIFFERENCE

Vinyl Colors

- We offer an array of vinyl colors to fit your needs. Pick from 75 different colors that range from neutrals to cool tones to warm tones.
- Our 100% vinyl seating ensures comfortable and easy-to-clean seating surfaces for exam/patient rooms.
- Ideal for use in sterile environments due to its antibacterial, antimicrobial, and mildew resistant qualities.
- Bleach cleaning allowed.

Key Product Features



Vinyl Colors



Vinyl Colors



Exam Stools & Patient Room Chairs

Cost:

- Stools come in your choice of 75 colors at **no extra cost.**

Composition:

- Antibacterial, antimicrobial, and mildew resistant
- Face: 100% vinyl
- **Backing:** 65% polyester, 35% rayon

Specifications:

- **Weight:** 32.0 oz./lin. yd.

Abrasion Resistance:

- 100,000 Double Rubs

Flammability:

- California Technical Bulletin 117-2013
- FMVSS 302
- NFPA 260 Class 1
- UFAC Class 1

Color:

- We provide an array of 75 vinyl colors
- Dye lots may vary from samples shown

Cleaning:

- Code: W
- Denim dye cleanable
- Bleach cleanable (80% Water, 20% Bleach)

Proposition 65 Warning: This product may contain chemicals known to the State of California to cause cancer, birth defects, and other reproductive harm.

*Final determination of the suitability of this product for application rests with the user.

THE BLICKMAN DIFFERENCE

Fabric Colors

- Polyester fabric creates a more inviting, softer, and calming environment for use in your waiting room and other areas of your medical facilities that do not require harsh, sterile conditions.
- We offer an array of 19 polyester fabric colors to fit any environment in your medical facility.

Key Product Features



Fabric Colors





Waiting Room Chairs

Composition:

- 55% post consumer recycled polyester
- 45% polyester
- Finish/Backing: soil and stain repellent/acrylic

Specifications:

- Weight: 13.0 oz./lin yd.

Abrasion Resistance:

- 500,000 Double Rubs

Note: Multiple factors impact fabric durability and appearance retention, including end user application and proper maintenance.

Flammability:

- California Technical Bulletin 117-2013
- UFAC
- ASTM E84
- NFPA 260

Note: Any term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

Color:

- We provide an array of 19 fabric colors

Note: Dye lots may vary from samples shown. Final determination of the suitability of this product for an application rests with the user.

Cleaning:

- Code: W/S

Toll Free: (800) 247-5070 Local: (973) 330-0557



www.blickman.com info@blickman.com